

IN THE CLAIMS

Please amend the claims as follows:

1.-3. (Canceled)

4. (Currently Amended) A method for a wireless device capable of communicating over a wireless network and having operating software for supporting a computer platform on said wireless device capable of executing applications, comprising:

booting-up the wireless device, said booting-up including initializing said wireless device for normal communications over the wireless network;

after said booting-up, remotely receiving a recall command ~~identifying a specific application~~ including a unique application identification for a targeted application available for execution on said computer platform of said wireless device; and

responsive to said remote recall command, uninstalling said ~~specific~~ targeted application without requiring end-user interaction.

5. (Currently Amended) The method of claim 4, wherein the recall command comprises an identification of said specific application and an instruction for causing said wireless device to delete said ~~specific~~ targeted application.

6. (Previously presented) The method of claim 5, wherein the recall command is sent to the wireless device via a short message service (SMS) message.

7.-8. (Canceled)

9. (Currently Amended) The method of claim 5, wherein said step of uninstalling comprises:

searching a database on said wireless device using said unique application identification to determine an address range corresponding to said ~~specific~~ targeted application; and

deleting contents of said address range.

10. (Currently Amended) A ~~method for a server~~ which recalls a targeted ~~to cause a recall of a specific~~ application installed on a subset of wireless devices selected from a set of wireless devices, ~~each wireless device in said set capable of communicating over a wireless network,~~ said server capable of communicating with the set of wireless devices over said a wireless network, the ~~method~~ server comprising:

~~maintaining~~ a database for identifying each application installed on each wireless device of said set;

a processor which searches ~~searching~~ said database to identify said subset of wireless devices having said ~~specific~~ targeted application installed; and

a communication interface which sends ~~sending~~ an application recall command including a unique application identification for the targeted application to each wireless device in said subset which initiates uninstalling said ~~specific~~ targeted application without requiring user interaction on the wireless devices.

11. (Currently Amended) The ~~method~~ server of claim 10, wherein each recall command comprises ~~an identification of said specific application and~~ an instruction for causing one of said wireless devices from said subset of wireless devices to delete said ~~specific~~ targeted application.

12.-19. (Canceled)

20. (Currently Amended) The ~~method~~ server of claim 11, wherein the recall command is sent to the wireless device via a short message service (SMS) message.

21. (Currently Amended) The method of claim 5, wherein each recall command further comprises:

a uninstall application, which when executed by a wireless device, deletes said ~~specific~~ targeted application.

22. (Currently Amended) The ~~method~~ server of claim 10, wherein each recall command further comprises:

a uninstall application, which when executed by a wireless device, deletes said ~~specific~~ targeted application.

23. (Cancel)

24. (Cancel)

25. (Currently Amended) A method for a wireless device capable of communicating over a wireless network and having operating software for supporting a computer platform on said wireless device capable of executing applications, comprising:

booting-up the wireless device, said booting-up including initializing said wireless device for normal communications over the wireless network;

after said booting-up, remotely receiving a recall message including a unique application identification for a targeted application; and

responsive to said remote recall message, checking-in with a server on said wireless network to determine whether to uninstall ~~one or more applications~~ the targeted application on said wireless device without requiring end-user interaction.